

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|-------|------------------|---------|------------------|
| S254 | 0 | sets near1 of near1 (GUI or browser or (interface)) | USPAT | OR | OFF | 2005/04/25 10:59 |
| S255 | 0 | sets near1 of with (GUI or browser or (interface)) | USPAT | OR | OFF | 2005/04/25 11:00 |
| S256 | 473 | sets near1(GUI or browser or (interface)) | USPAT | OR | OFF | 2005/04/25 11:00 |
| S257 | 56 | sets near1(GUI or browser or (interface)) with (input or select) | USPAT | OR | OFF | 2005/04/25 11:04 |
| S258 | 36 | sets near1(GUI or browser or (interface)) with (input\$1 or select\$1) with output\$1 | USPAT | OR | OFF | 2005/04/25 11:08 |
| S259 | 0 | sets near1(GUI or browser or (interface)) with (requestes with responses) | USPAT | OR | OFF | 2005/04/25 11:08 |
| S260 | 0 | (GUI or browser or (interface)) with (requestes with responses) | USPAT | OR | OFF | 2005/04/25 11:08 |
| S261 | 0 | (GUI or browser or (interface)) with (request with respons) | USPAT | OR | OFF | 2005/04/25 11:08 |
| S262 | 0 | (GUI or browser or (interface)) with (request and respons) | USPAT | OR | OFF | 2005/04/25 11:09 |
| S263 | 14 | (GUI or browser or (interface)) and (request and respons) | USPAT | OR | OFF | 2005/04/25 11:11 |
| S264 | 7239 | select with(GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:12 |
| S265 | 0 | select near1 from near1 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:12 |
| S266 | 0 | select near1 from near3 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:12 |
| S267 | 2278 | select near3 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:12 |
| S268 | 7883 | select\$3 near3 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:13 |
| S269 | 1019816 | select\$3 near1 request\$1 from near\$ (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:13 |
| S270 | 1018373 | select\$3 near1 request\$1 near1 from near\$4 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:14 |

| | | | | | | |
|----------|---------|---|-----------------|----|-----|------------------|
| S27 1 | 1019405 | select\$3 near1 request\$1 near\$4 (GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:14 |
| S27 2 | 261 | select\$3 near1 request\$1 with(GUI or browser or (interface)) and (request\$1 and respons\$3) | USPAT | OR | OFF | 2005/04/25 11:17 |
| S27 3 | 1327 | (705/26-27).CCLS. | USPAT; USOCR | OR | OFF | 2005/04/25 11:17 |
| S27 4 | 76 | 705/26-27 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/25 13:52 |
| S27 5 | 139 | 709/223-224 | USPAT | OR | OFF | 2005/04/25 13:52 |
| S27 6 | 43 | S275 and (interface or window) and (browser or GUI) | USPAT | OR | OFF | 2005/04/25 13:54 |
| S27 7 | 6 | S275 and (interface or window) and (browser or GUI) and upgrade\$3 | USPAT | OR | OFF | 2005/04/25 14:39 |
| S27 8 | 0 | S275 and (interface or window) and (browser or GUI) and response\$3 near1 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:39 |
| S27 9 | 2 | S275 and (interface or window) and (browser or GUI) and return\$3 near1 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:42 |
| S28 0 | 2 | S275 and (interface or window) and (browser or GUI) and new near1 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:47 |
| S28 1 | 1368039 | S275 and (interface or window) and (browser or GUI) and new near\$3 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:48 |
| S28 2 | 1338059 | S275 and (interface or window) and (browser or GUI) and new near\$2 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:48 |
| S28 3 | 1199194 | S275 and (interface or window) and (browser or GUI) and new near\$1 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:50 |
| S28 4 | 1199196 | S275 and (interface or window) and (browser or (GUI or displays)) and new near\$1 (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:50 |
| S28 5 | 47 | S275 and (interface or window) and (browser or (GUI or displays)) and (window\$1 or screen\$3) | USPAT | OR | OFF | 2005/04/25 14:59 |
| S28 6 | 4 | S275 and request and display\$3 near1(browser or (GUI or displays)) with select\$3 | USPAT | OR | OFF | 2005/04/25 15:07 |
| S28 7 | 4 | S275 and display\$3 near1(browser or (GUI or displays)) with select\$3 | USPAT | OR | OFF | 2005/04/25 15:07 |
| S28 8 | 2171 | display\$3 near1(browser or (GUI or displays)) with select\$3 | USPAT | OR | OFF | 2005/04/25 15:07 |

| | | | | | | |
|----------|-----|--|-----------------|----|-----|------------------|
| S28 9 | 232 | "709"/\$.ccls. and (display\$3 near1(browser or (GUI or displays)) with select\$3)". "ti." | USPAT | OR | OFF | 2005/04/25 15:08 |
| S29 0 | 232 | "709"/\$.ccls. and (display\$3 near1(browser or (GUI or displays)) with select\$3)"ti." | USPAT | OR | OFF | 2005/04/25 15:08 |
| S29 1 | 232 | "709"/\$.ccls. and (display\$3 near1(browser or (GUI or displays)) with select\$3)"ti." and @ad<="20020305" | USPAT | OR | OFF | 2005/04/25 15:23 |
| S29 2 | 39 | "709"/\$.ccls. and (display\$3 near1(browser or (GUI or displays)) with select\$3) and (request\$3 near1 service\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/25 16:53 |
| S29 3 | 1 | ("6853841").PN. | USPAT; USOCR | OR | OFF | 2005/04/25 16:54 |
| S29 4 | 1 | ("6615258").PN. | USPAT; USOCR | OR | OFF | 2005/04/25 17:33 |
| S29 5 | 0 | ("9159515").PN. | USPAT; USOCR | OR | OFF | 2005/04/26 14:10 |
| S29 6 | 37 | automatic\$3 near1 upgrade | USPAT | OR | OFF | 2005/04/26 14:12 |
| S29 7 | 21 | automatic\$3 near1 upgrade and request\$1 and response\$1 | USPAT | OR | OFF | 2005/04/26 14:13 |
| S29 8 | 342 | automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 | USPAT | OR | OFF | 2005/04/26 14:13 |
| S29 9 | 114 | automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients | USPAT | OR | OFF | 2005/04/26 14:14 |
| S30 0 | 69 | automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 | USPAT | OR | OFF | 2005/04/26 14:14 |
| S30 1 | 68 | automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:24 |
| S30 2 | 0 | other\$1 near3 automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:20 |
| S30 3 | 0 | other\$1 near5 automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:20 |

| | | | | | | |
|----------|-----|--|-------|----|-----|------------------|
| S30 4 | 0 | other\$1 with automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:20 |
| S30 5 | 0 | configurat\$3 and automatic\$3 near1 (upgrade or update\$1)near response\$1 and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:25 |
| S30 6 | 0 | configurat\$3 and automatic\$3 near1 (upgrade or update\$1)near1 response\$1 and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:25 |
| S30 7 | 61 | configurat\$3 and automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and clients and provider\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:26 |
| S30 8 | 214 | configurat\$3 and automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:27 |
| S30 9 | 0 | remote43configurat\$3 and automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 14:27 |
| S31 0 | 153 | remote\$3 and configurat\$3 and automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:04 |
| S31 1 | 122 | remote\$3 and configurat\$3 and automatic\$3 near1 (upgrade or update\$1) and request\$1 and response\$1 and (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:05 |
| S31 2 | 123 | remote\$3 and configurat\$3 and automatic\$3 near1 (upgrade or update\$1 or modify) and request\$1 and response\$1 and (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:06 |
| S31 3 | 30 | remote\$3 and configurat\$3 same automatic\$3 near1 (upgrade or update\$1 or modify) and request\$1 and response\$1 and (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:07 |

| | | | | | | |
|----------|---------|---|-------|----|-----|------------------|
| S31 4 | 1 | remote\$3 and configurat\$3 same automatic\$3 near1 (upgrade or update\$1 or modify) same member\$1 and request\$1 and response\$1 and (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:14 |
| S31 5 | 0 | provider\$1 and clients and configurat\$3 same automatic\$3 near1 (upgrade or update\$1 or modify) same (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:15 |
| S31 6 | 0 | provider\$1 and clients and configurat\$3 same(automatic\$3 near1 (upgrade or update\$1 or modify)) same (cluster\$1 or group\$1) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:15 |
| S31 7 | 14 | provider\$1 and clients and configurat\$3 same(automatic\$3 near1 (upgrade or update\$1 or modify)) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:17 |
| S31 8 | 0 | provider\$1 and clients and (configurat\$3 same(automatic\$3 near1 (upgrade or update\$1 or modify))) and network near1 element\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:18 |
| S31 9 | 14 | provider\$1 and clients and (automatic\$3 near1 (upgrade or update\$1 or modify)) and network near1 element\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 15:20 |
| S32 0 | 19 | provider\$1 and clients and (automatic\$3 near1 (upgrade or update\$1 or modify or response or provide or distribute)) and network near1 element\$1 and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 16:04 |
| S32 1 | 3357501 | (remot\$3 near4 configurat\$3) and automatic\$5 with (groups or members)@ad<="20020305" | USPAT | OR | OFF | 2005/04/26 16:06 |
| S32 2 | 51 | (remot\$3 near4 configurat\$3) and automatic\$5 with (groups or members) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 16:09 |
| S32 3 | 43 | (remot\$3 near4 (update\$1 or control\$2 near1 configurat\$3)) and automatic\$5 with (groups or members) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 16:58 |
| S32 4 | 51 | (remot\$3 near4 (configurat\$3)) and automatic\$5 with (groups or members) and @ad<="20020305" | USPAT | OR | OFF | 2005/04/26 17:00 |

| | | | | | | |
|----------|-----|---|-----------------|----|-----|------------------|
| S32 5 | 26 | (remot\$3 near4 (configurat\$3)) and automatic\$5 with (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:03 |
| S32 6 | 0 | "709"/@.ccls. and (remot\$3 near4 (configurat\$3)) and automatic\$5 with (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:04 |
| S32 7 | 0 | "709"/@.ccls. and (remot\$3 near4 (configurat\$3)) and (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:04 |
| S32 8 | 0 | "709"/@.ccls. | USPAT | OR | OFF | 2005/04/26 17:04 |
| S32 9 | 130 | "709"/\$.ccls. and (remot\$3 near4 (configurat\$3)) and (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:07 |
| S33 0 | 75 | "709"/\$.ccls. and (remot\$3 near1 (configurat\$3)) and (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:08 |
| S33 1 | 0 | "709"/\$.ccls. and ((remot\$3 near1 (configurat\$3)) and (groups or members)).ab. and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:08 |
| S33 2 | 0 | "709"/\$.ccls. and ((remot\$3 near1 (configurat\$3)).ab. and (groups or members)) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:08 |
| S33 3 | 0 | "709"/\$.ccls. and (remot\$3 near1 (configurat\$3)).ab. and (groups or members) and @ad<="20020305" and (central\$ or provider\$) | USPAT | OR | OFF | 2005/04/26 17:09 |
| S33 4 | 7 | "709"/\$.ccls. and (remot\$3 near1 (configurat\$3)).ab. | USPAT | OR | OFF | 2005/04/26 17:51 |
| S33 5 | 0 | "709"/\$.ccls. and (remot\$3 near1 (configurat\$3) and groups).ab. | USPAT | OR | OFF | 2005/04/26 17:52 |
| S33 6 | 0 | "709"/\$.ccls. and (remot\$3 near1 (update\$1 or configurat\$3) and groups).ab. | USPAT | OR | OFF | 2005/04/26 17:52 |
| S33 7 | 49 | "709"/\$.ccls. and ((update\$1 or configurat\$3) and groups).ab. | USPAT | OR | OFF | 2005/04/26 17:56 |
| S33 8 | 1 | ("6578146").PN. | USPAT; USOCR | OR | OFF | 2005/04/26 17:56 |